

PATIENT NAME: [patient name]

EXAM DATE: [exam date] **AGE:** [age] **SEX:** [sex] **I.D.#:** [patient I.D.]

CT CHEST, ABDOMEN, PELVIS WITHOUT	
CONSENT FORMS	Consent to Contrast Material Pregnancy Status Form (female patients) Medication Reconciliation Form (outpatients)
ORAL CONTRAST	ORAL PREP & 1 GLASS OF WATER ON TABLE BEFORE SCANNING
IV CONTRAST	NONE
POSITIONING	SUPINE, FEET FIRST, ARMS UP IF POSSIBLE CENTER AT STERNAL NOTCH BREATH HOLD
SCOUT	S 70 / I 600, 120 KVP @ 10 MA AP S70 / I 600, 120 KVP @ 10 MA, LAT
TECHNIQUE - 16 SLICE	HELICAL; 2.5 MM; STD PLUS W400/L40 KVP 120 @ AUTO/SMART MA 40% ASIR SFOV - LG BODY/DFOV (FIT TO ANATOMY) SCAN FROM APICES OF LUNG THRU PELVIS
TECHNIQUE - 64 SLICE	HELICAL; 2.5 MM, STD PLUS W400/L40 KVP 120 @ AUTO/SMART MA 40% ASIR SFOV-LG BODY/DFOV (FIT TO ANATOMY) SCAN FROM APICES OF LUNG THRU PELVIS
TECHNIQUE – 128 SLICE	HELICAL; 2.5 MM, STD PLUS W400/L40 KVP 120 @ AUTO/SMART MA 40% ASIR, SFOV-LG BODY/DFOV (FIT TO ANATOMY) SCAN FROM APICES OF LUNG THRU PELVIS
RECONS	2.5 MM, LUNG W1400/-600 1.25 MM, STD W 1400/-600 16 / 128 SLICE-1.25 MM/INT 0.625 MM STD W400/L40 (DMPR CHEST & ABD/PELVIS) 64 SLICE-0.625 MM STD W400/L40 (DMPR)
REFORMATIONS	CHEST & ABD/PEL - CORONAL & SAGITTAL AVG 2.5MM/2.5 MM, W400/L40 CHEST- CHEST -MIP LUNG AX- THICK MIP 6MM X 3MM IN STD W1400/L-600

PACS	SCOUT 2.5 MM - CHEST/ABD/PEL WO 2.5 MM - LUNG ABD COR & ABD SAG CHEST COR & CHEST SAG & AX LUNG MIP
CHARGE	CT CHEST, ABD, PELVIS WITHOUT CONTRAST
REMARKS	

CT PREPS	All CT contrast patients should be NPO for 4 hours before their exam. All patients should drink plenty of water before their exam
Routine Abdomen and Pelvis	<p>For: Diverticulitis, pain, pancreatitis, appendicitis, elevated labs or cancer (not for adrenal, liver, GIST, stromal, or pancreas cancer).</p> <p>Outpatients: Patients are to receive one 50 ml bottle of Omni 140, consent form, and prep sheet. Patient to mix Omni 140 50 cc into 32 oz water. Drink half the mixture 2 hours prior to exam. Drink last half of mixture 1 hour prior to exam</p> <p>Inpatients: Mix Omni 140 50 cc into 32 oz of water. Drink half of mixture two hours prior to exam. Drink last half of mixture one hour prior to exam.</p> <p>ER patients: only if doctor requests- Mix Omni 140 50 cc into 32 oz of water- Drink half of mixture an hour prior to exam. Drink last half of mixture 30 minutes prior to exam</p>
Abdomen CT's	<p>For Stomach (stromal) cancer, small bowel evaluation, GIST, stomach mass, Crohn's.</p> <p>Patients receive 2 bottles of Volumen. Drink one bottle 2 hours prior to exam. Drink one bottle 1 hour prior to exam.</p> <p>For CT Enterography: Patients should arrive 1.5 hours early to drink Volumen prep. Drink one bottle of Volumen every 20 minutes for the hour before their exam.</p>
Gastric Bypass Protocol	<p>For: Patients who have had gastric bypass. Mix Omni 140 50 cc into 32 oz of water- Patients to drink 8 oz mixture of Omni 140 and water an hour before exam. The second dose (8oz) of mixture will be given just before getting on the table.</p>

<p>Pancreas Evaluations</p>	<p>For: Mass, cysts, recurrent pancreatitis, history of pancreatitis who has had a routine CT abdomen already done. Patient to drink 64 oz of water the hour before their exam.</p>
<p>All Triphase Renal/ Dual Adrenal/Dual Liver</p>	<p>For: Renal/Adrenal/Liver), mass, cyst, hepatitis C, and/or Adrenal/Liver Cancer. Water prep. Patients are to start drinking at least 64 oz of water the hour before their exam. For Renal Cancer follow-up: Mix Omni 140 50 cc into 32 oz of water- Drink half of mixture two hours prior to exam. Drink last half of mixture one hour prior to exam.</p>
<p>UT/Urogram/Hernia/ Abdomen with/wo & pelvis with (GI vs stones)</p>	<p>For: Stone, hernia, hematuria Water prep</p>